


TinyAuth SSO for an App via Nginx Proxy Manager

The TinyAuth app requires an identity service such as LDAP to check credentials against



```
name: core
services:
  tinyauth:
    container_name: tinyauth
    image: ghcr.io/steveiliop56/tinyauth:v3
    restart: unless-stopped
    environment:
      - VIRTUAL_HOST=login.notflix.pknw1.co.uk,login.pknw1.co.uk
      - VIRTUAL_PORT=3000
      - SECRET=12345678901234567890123456789012
      - APP_URL=https://login.pknw1.co.uk
      - COOKIE_SECURE=true
      - APP_TITLE=Notflix SSO
      - TINYAUTH_IP_BYPASS=149.202.72.112/32,172.22.0.0/16
```

- BACKGROUND_IMAGE=https://www.pknw1.co.uk/assets/images/ezgif-3-e3824c3d11-1.gif
- LDAP_ADDRESS=ldap://ldap:3890
- LDAP_BIND_DN=uid=tinyproxy_read,ou=people,dc=pknw1,dc=co,dc=uk
- LDAP_BIND_PASSWORD=organic-aroma-mexico-speed
- LDAP_BASE_DN=ou=people,dc=pknw1,dc=co,dc=uk
- LDAP_SEARCH_FILTER=(user_id=%s)
- LDAP_INSECURE=true

networks:

- proxy
- admin

ports:

- 172.22.20.1:3891:3000
- 172.22.22.1:3891:3000

healthcheck:

test: ["CMD", "curl", "-f", "http://localhost:3000"]

interval: 1m30s

timeout: 5s

retries: 2

start_period: 20s

networks:

proxy:

external: true

admin:

external: true



protected.pknw1.co.uk

Created: Saturday, 22/11/2025, 3:44:01 am

http://caddy-protected-1:80

Let's Encrypt Public

Offline



Edit Proxy Host



Details

Custom Locations

SSL



Domain Names

protected.pknw1.co.uk ✕ | ▼

Scheme

Forward Hostname / IP

Forward Port

http

caddy-protected-1

80 ⬆
⬇

Access List

Publicly Accessible | ▼

Options

Cache Assets

Block Common Exploits

Websockets Support

Cancel

Save

Edit Proxy Host



Details

Custom Locations

SSL



Location

/healthcheck



Scheme

http

Forward Hostname / IP

caddy-protected-1

Forward Port

80



Delete

Add Location

Cancel

Save

Edit Proxy Host



Details

Custom Locations

SSL



SSL Certificate

*.pknw1.co.uk, pknw1.co.uk



Force SSL



HTTP/2 Support



HSTS Enabled



HSTS Sub-domains

Cancel

Save

Edit Proxy Host



Details

Custom Locations

SSL



Custom Nginx Configuration

```
# Root location
location / {
    # Pass the request to the app
    proxy_pass          $forward_scheme://$server:$port;

    # Add other app-specific config here

    # Tinyauth auth request
    auth_request /tinyauth;
    error_page 401 = @tinyauth_login;
}

# Tinyauth auth request
location /tinyauth {
    # Pass request to Tinyauth
    proxy_pass http://172.22.20.1:3891/api/auth/nginx;

    # Pass the request headers
    proxy_set_header x-forwarded-proto $scheme;
    proxy_set_header x-forwarded-host $http_host;
    proxy_set_header x-forwarded-uri $request_uri;
}

# Tinyauth login redirect
location @tinyauth_login {
    return 302 http://login.pknw1.co.uk/login?
    redirect_uri=$scheme://$http_host$request_uri; # Replace with
    your app URL
}
```

Cancel

Save

```
# Root location
location / {
    # Pass the request to the app
    proxy_pass          $forward_scheme://$server:$port;

    # Add other app-specific config here

    # Tinyauth auth request
    auth_request /tinyauth;
    error_page 401 = @tinyauth_login;
}

# Tinyauth auth request
location /tinyauth {
    # Pass request to Tinyauth
    proxy_pass http://172.22.20.1:3891/api/auth/nginx;

    # Pass the request headers
    proxy_set_header x-forwarded-proto $scheme;
    proxy_set_header x-forwarded-host $http_host;
    proxy_set_header x-forwarded-uri $request_uri;
}

# Tinyauth login redirect
location @tinyauth_login {
    return 302 http://login.pknw1.co.uk/login?redirect_uri=$scheme://$http_host$request_uri; #
    Replace with your app URL
}
}
```

Revision #1

Created 2025-11-25 21:50:21 CET by pknw1

Updated 2025-11-25 22:04:43 CET by pknw1