



New Page

 	
1?? load notflix.pknw1.co.uk	<ul style="list-style-type: none"><input checked="" type="checkbox"/> user loads https://notflix.pknw1.co.uk<input checked="" type="checkbox"/> notflix.pknw1.co.uk proxy_hioست @ proxymanager<input type="checkbox"/> is IP in not all-allowed-blacklist-failed-whitelist-attempts ACL -> quicklogin
2?? attempt quicklogin	<ul style="list-style-type: none"><input type="checkbox"/> proxymanager advanced_config 401 detected<input type="checkbox"/> passed to error_handler in the advanced config<input checked="" type="checkbox"/> if cookie notflixuid exists, redirect user to /quicklogin<input type="checkbox"/> if cookie notflixuid does not exist, user cannot quicklogin<input type="checkbox"/> redirect user to standndar login
3?? process quicklogin	<ul style="list-style-type: none"><input type="checkbox"/> load user_ip from current session<input type="checkbox"/> add IP to ACL<input type="checkbox"/> restart proxynaner nginx to load allowed_ips.conf<input checked="" type="checkbox"/> redirect user to notflix.pknw1.co.uk

4?? process auth at /auth	<input type="checkbox"/> user is locate at /auth page <input type="checkbox"/> user login is sent api.notflix.pknw1.co.uk for authentication against LDAP <input type="checkbox"/> if the user is not_authenticated, redirect to erro <input type="checkbox"/> if the user is authenticated, whitelist their current IP <input checked="" type="checkbox"/> redirect to notflix.pknw1.co.uk
5?? process post-auth	<input type="checkbox"/> request current IP whiitelist <input type="checkbox"/> reload ACL
7?? Load Jellyfin	
? jellyfin post-login	<input type="checkbox"/> after login check if notflixuid cookie exists <input type="checkbox"/> if notflixuid exists, do northing <input type="checkbox"/> if notflixuid does not exist, create the notflixuid cookie enabling quicklogin

Load notflix.pknw1.co.uk with a vaiid **user_account** and a valid **IP**

User Loading site	<input type="checkbox"/> user loads https://notflix.pknw1.co.uk <input type="checkbox"/> notflix.pknw1.co.uk proxy_hioست @ proxymanager <input type="checkbox"/> is IP in all-allowed-blacklist-failed-whitelist-attempts ACL <input type="checkbox"/> True = reverse_proxy to jellyfin:8096/

User Login to Jellyfin	<input type="checkbox"/> user enters username and password from LDAP <input type="checkbox"/> True = username is a member of users_users group
After successful login	<input type="checkbox"/> check if cookie notflixuid exists <input type="checkbox"/> True = no_action <input type="checkbox"/> False = create cookie notflixuid for .pknw1.co.uk valid 1 year

aaaa

Load notflix.pknw1.co.uk with a valid **user_account** and an invalid **IP**

Quicklogin initial configuration

Revision #1

Created 2026-04-05 21:29:04 CEST by pknw1

Updated 2026-04-05 22:44:11 CEST by pknw1