

nginx_proxy_manager_admin

```
# -----  
# proxymanager.admin.pknw1.co.uk  
# -----  
}  
server {  
    set $forward_scheme http;  
    set $server          "172.22.20.1";  
    set $port            81;  
    listen 80;  
listen 443 ssl;  
    server_name proxymanager.admin.pknw1.co.uk;  
    location / {  
    }  
}  
# -----  
# proxymanager-admin.admin.pknw1.co.uk  
# -----  
}  
server {  
    set $forward_scheme http;  
    set $server          "172.22.22.1";  
    set $port            81;  
    listen 80;  
listen 443 ssl;  
    server_name proxymanager-admin.admin.pknw1.co.uk;  
    location / {  
    }  
}  
# -----  
# *.admin.pknw1.co.uk  
# -----  
}  
server {  
    set $forward_scheme http;  
    set $server          "internal_proxy";
```

```
set $port          80;
listen 80;
listen 443 ssl;
    server_name *.admin.pknw1.co.uk;
proxy_set_header Upgrade $http_upgrade;
proxy_set_header Connection $http_connection;
proxy_http_version 1.1;
more_set_headers 'Server: CuteKitten';
    location / {
        proxy_set_header Upgrade $http_upgrade;
        proxy_set_header Connection $http_connection;
        proxy_http_version 1.1;
    }
}
# -----
# webmin.admin.pknw1.co.uk
# -----
}
server {
    set $forward_scheme http;
    set $server          "172.22.22.1";
    set $port            10000;
    listen 80;
listen 443 ssl;
    server_name webmin.admin.pknw1.co.uk;
more_set_headers 'Server: CuteKitten';
    location / {
    }
}
# -----
# caddyui.admin.pknw1.co.uk
# -----
}
server {
    set $forward_scheme http;
    set $server          "caddymanager-frontend";
    set $port            80;
    listen 80;
listen 443 ssl;
    server_name caddyui.admin.pknw1.co.uk;
```

```
proxy_set_header Upgrade $http_upgrade;
proxy_set_header Connection $http_connection;
proxy_http_version 1.1;
location ~ ^/api(.*)$ {
    rewrite          ^/api/(.*) /$1 break;
    proxy_pass http://172.22.22.1:3300;
    proxy_connect_timeout 1;
    proxy_set_header X-Real-IP $remote_addr;
    proxy_set_header X-Forwarded-For $proxy_add_x_forwarded_for;
    proxy_set_header Host $http_host;
    proxy_set_header X-Forwarded-Proto https;
}
location / {
    proxy_set_header Upgrade $http_upgrade;
    proxy_set_header Connection $http_connection;
    proxy_http_version 1.1;
}
}
```

Revision #1

Created 2025-07-17 00:09:07 CEST by pkswansea

Updated 2025-07-17 00:09:21 CEST by pkswansea